

|                                        |                        |                                                     |
|----------------------------------------|------------------------|-----------------------------------------------------|
| WAAS<br>CH <b>45929</b><br><b>W05A</b> | APP CRS<br><b>049°</b> | Rwy Idg<br>TDZE <b>1254</b><br>Apt Elev <b>1264</b> |
|----------------------------------------|------------------------|-----------------------------------------------------|

RNAV (GPS) RWY 5

JOSEPH A HARDY CONNELLVILLE (VVS)

RNP APCH - GPS



⚠

NA

Circling NA for Cat C south of Rwy 5-23. Circling Rwy 14, 23, 32 NA at night. Baro-VNAV and VDP NA when using Morgantown, WV altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -17°C or above 54°C. When local altimeter setting not received, use Morgantown altimeter setting and increase LPV DA to 1559 feet and all visibilities ½ SM. Increase LNAV/VNAV DA to 1579 feet and visibilities ½ SM. Increase all MDAs 60 feet and LNAV visibility Cat C ½ SM.

MISSED APPROACH: Climb to 2500 then climbing left turn to 4000 direct WITUV and track 190° to ZETGA and hold.

|                           |                                               |                                 |
|---------------------------|-----------------------------------------------|---------------------------------|
| AWOS-3P<br><b>133.325</b> | CLARKSBURG APP CON ★<br><b>119.425 284.65</b> | UNICOM<br><b>122.8 (CTAF) ①</b> |
|---------------------------|-----------------------------------------------|---------------------------------|



| CATEGORY     | A                     | B                        | C                       | D  |
|--------------|-----------------------|--------------------------|-------------------------|----|
| LPV DA       | 1504-¾                | 250 (300-¾)              |                         | NA |
| LNAV/VNAV DA | 1524-⅞                | 270 (300-⅞)              |                         | NA |
| LNAV MDA     | 1600-1                | 346 (400-1)              |                         | NA |
| CIRCLING     | 1920-1<br>656 (700-1) | 2260-1½<br>996 (1000-1½) | 2540-3<br>1276 (1300-3) | NA |

