

|                                        |                        |                                                     |
|----------------------------------------|------------------------|-----------------------------------------------------|
| WAAS<br>CH <b>49111</b><br><b>W14A</b> | APP CRS<br><b>143°</b> | Rwy Idg<br>TDZE <b>1275</b><br>Apt Elev <b>1303</b> |
|----------------------------------------|------------------------|-----------------------------------------------------|

RNAV (GPS) RWY 14

BRANSON (BBG)

|                                                                                                                                                                                                                                                                     |                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|
| RNP APCH.                                                                                                                                                                                                                                                           | MISSED APPROACH: Climb to 4000 direct UYULA and hold. |
| For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -17°C or above 46°C. When local altimeter setting not received, use Harrison altimeter setting and increase all DA 47 feet and all MDA 60 feet. VDP and Baro-VNAV NA when using Harrison altimeter setting. |                                                       |

|                        |                                      |                                                  |                         |                          |                                                              |                         |
|------------------------|--------------------------------------|--------------------------------------------------|-------------------------|--------------------------|--------------------------------------------------------------|-------------------------|
| ATIS<br><b>124.625</b> | SPRINGFIELD APP CON<br><b>126.35</b> | BRANSON TOWER ★<br><b>128.15</b> (CTAF) <b>0</b> | GND CON<br><b>118.4</b> | CLNC DEL<br><b>118.4</b> | SPRINGFIELD CLNC DEL<br><b>126.35</b><br>(When tower closed) | UNICOM<br><b>122.95</b> |
|------------------------|--------------------------------------|--------------------------------------------------|-------------------------|--------------------------|--------------------------------------------------------------|-------------------------|

