

WAAS CH <b>82399</b> <b>W33A</b>	APP CRS <b>333°</b>	Rwy Idg TDZE Apt Elev	<b>9803</b> <b>995</b> <b>1015</b>
--	------------------------	-----------------------------	--


# RNAV (GPS) RWY 33

ROBERT GRAY AAF (GRK)


**ASR/PAR** For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -17°C (2°F) or above 54°C (130°F). Circling NA west of Rwy 15-33. DME/DME RNP-0.3 NA. For inoperative ALS, increase LPV Cat E visibility to ¾ SM, LNAV/VNAV Cat E visibility to 2 SM, and LNAV Cat E visibility to 1½ SM.

**MALSR** MISSED APPROACH: Climb to 3000 direct FIXUL and on track 283° to AGJ VORTAC and hold.

ATIS <b>124.9</b>	GRAY APP CON <b>120.075 323.15</b>	GRAY TOWER <b>120.75 285.5</b>	GND CON <b>121.8 279.5</b>	CLNC DEL <b>126.2 251.1</b>
----------------------	---------------------------------------	-----------------------------------	-------------------------------	--------------------------------



ELEV	1015	TDZE	995
------	------	------	-----



3000	FIXUL	tr 283°	AGJ	VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 50).	
*LNAV only.					
	RUBUF	2600	3000	TIXFO	
	RW33	2600	333°	GP 3.00° TCH 50	
	1.5 NM	3.4 NM	6.1 NM		
CATEGORY	A	B	C	D	E
LPV DA	1195-½		200 (200-½)		
LNAV/VNAV DA	1552-1½		557 (600-1½)		
LNAV MDA	1460-½	465 (500-½)	1460-1	465 (500-1)	
<b>C</b> CIRCLING	1540-1	525 (600-1)	1560-1½ 545 (600-1½)	1620-2 605 (700-2)	1740-2½ 725 (800-2½)

SC-3, 16 JUN 2022 to 14 JUL 2022

SC-3, 16 JUN 2022 to 14 JUL 2022