




LOC/DME I-ACT 109.7 Chan 34	APP CRS 187°	Rwy Idg TDZE Apt Elev	6605 505 516
--	------------------------	-----------------------------	---

ILS or LOC RWY 19

WACO RGNL (ACT)

DME required.		MALS R	MISSED APPROACH: Climb to 1500 then climbing left turn to 4000 on ACT VORTAC R-164 to BOSEL 14 DME and hold, continue climb-in-hold to 4000.
** RVR 1800 authorized with use of FD or AP or HUD to DA.			

ATIS 123.85	WACO APP CON * 127.65 227.125	WACO TOWER * 119.3 (CTAF) 0 257.8	GND CON 121.9	UNICOM 122.95
-----------------------	---	---	-------------------------	-------------------------



WESLI INT I-ACT 17	COFFI INT I-ACT 6.1	2100	2800	GS 3.00° TCH 55
1500	4000	BOSEL		
ACT R-164	ACT R-164	ACT R-164		
*LOC only.				
I-ACT 1.3	*I-ACT 2.3	2100	2800	
CATEGORY A B C D				
S-ILS 19** 705/24 200 (200-1/2)				
S-LOC 19 900/24 395 (400-1/2) 900/35 395 (400-3/4)				
CIRCLING 940-1 980-1 1020-1 1160-2				
424 (500-1) 464 (500-1) 504 (600-1 1/2) 644 (700-2)				