

(KRITR5.KRITR) 22083

# KRITR FIVE DEPARTURE (RNAV)

AL-5726 (FAA)

CHARLOTTE/MONROE EXEC (EQY)


MONROE, NORTH CAROLINA

ASOS  
135.775  
CLNC DEL  
132.55  
UNICOM (CTAF)  
122.7  
CHARLOTTE DEP CON  
120.05 307.8

**TOP ALTITUDE:  
3000**

### TAKEOFF MINIMUMS

Rwys 5, 23: Standard.



- NOTE: For turbojets only.
- NOTE: DME/DME/IRU or GPS required.
- NOTE: RNAV 1.
- NOTE: RADAR required.
- NOTE: If unable to accept climb rates, advise ATC on initial contact.
- NOTE: Upon reaching 10000 MSL, accelerate to and maintain 280K, if unable advise ATC.

NOTE: Chart not to scale.



### DEPARTURE ROUTE DESCRIPTION

Climb on heading assigned by ATC, expect RADAR vectors to JDEAN, then on track 022° to KRITR, then on assigned transition. Maintain 3000, expect filed altitude within 10 minutes after departure.

FILDS TRANSITION (KRITR5.FILDS)  
SMIAM TRANSITION (KRITR5.SMIAM)

# KRITR FIVE DEPARTURE (RNAV)

(KRITR5.KRITR) 03JAN19

MONROE, NORTH CAROLINA  
CHARLOTTE/MONROE EXEC (EQY)

SE-2, 30 NOV 2023 to 28 DEC 2023

SE-2, 30 NOV 2023 to 28 DEC 2023