

## ENDED ONE DEPARTURE (RNAV)

D-ATIS RNAV 1 - DME/DME/IRU or GPS required. 128.475 CLNC DEL RADAR required 133.6 **CPDLC** GND CON 121.7 269.4 NOTE: Jets only. TAMPA TOWER 119.5 269.4 TAMPA DEP CON 118.8 239.3

**TOP ALTITUDE:** 6000





TAKEOFF MINIMUMS Rwys 1L/R, 10, 19L/R, 28: Standard with minimum climb of 500' per NM to 540.

NOTE: Chart not to scale.

(NARRATIVE ON FOLLOWING PAGE)

SE-3, 18 APR 2024 to 16 MAY 2024

## V

18 APR 2024 to

16 MAY 2024

## DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAYS 1L/R: Climb on heading 007° to 540, then on heading 003° or as assigned by ATC, for vectors to ENDED thence . . . .

TAKEOFF RUNWAY 10: Climb on heading 097° to 540, then on heading 093° or as assigned by ATC, for vectors to ENDED thence . . . .

TAKEOFF RUNWAY 19L: Climb on heading 187° to 540, then on heading 213° or as assigned by ATC, for vectors to ENDED thence . . . .

TAKEOFE PLINWAY 19P: Climb on heading 187° to 540, then on heading 203° or as

TAKEOFF RUNWAY 19R: Climb on heading 187° to 540, then on heading 203° or as assigned by ATC, for vectors to ENDED thence . . . .

TAKEOFF RUNWAY 28: Climb on heading 277° to 540, then on heading 273° or as assigned by ATC, for vectors to ENDED thence . . . .

. . . . on track 357° to LACEN. Maintain 6000. Expect clearance to filed altitude within ten minutes after departure.