

(FEALX2:FEALX) 19MAY22

FEALX TWO DEPARTURE (RNAV) Departure Routes

FORT LAUDERDALE, FLORIDA
FORT LAUDERDALE/HOLLYWOOD INTL (F.T.L.)

D-ATIS
135.0
CLNC DEL
128.4
CPDLC
GND CON
121.4
FORT LAUDERDALE TOWER
119.3 257.8
MIAMI DEP CON
126.05 251.1

TOP ALTITUDE:
4000


RNAV 1 - DME/DME/IRU or GPS.

RADAR required.

TAKEOFF MINIMUMS

Rwys 10L/R, 28L/R: Standard with minimum
climb of 500' per NM to 580.

See following
page for
transition
routes.



NOTE: For jet aircraft only.

NOTE: Accelerate to 250K, if unable, advise ATC.


(CONTINUED ON FOLLOWING PAGE)

NOTE: Chart not to scale.

(FEALX2:FEALX) 22139

AL-744 (FAA)
FORT LAUDERDALE/HOLLYWOOD INTL (F.T.L.)
Departure Routes

FORT LAUDERDALE, FLORIDA



SE-3, 18 APR 2024 to 16 MAY 2024

SE-3, 18 APR 2024 to 16 MAY 2024

▼

DEPARTURE ROUTE DESCRIPTION

SEE ADDITIONAL REQUIREMENTS ON AAUP

TAKEOFF RUNWAY 10L: Climb on heading 096° to 580, then climb direct MRLEE, then on track 060° to MIMSE, then on track 060° to cross FEALX at or above 4000, thence. . .

TAKEOFF RUNWAY 10R: Climb on heading 096° to 580, then climb direct CLPSO, then on track 057° to MIMSE, then on track 060° to cross FEALX at or above 4000, thence. . .

TAKEOFF RUNWAY 28L: Climb on heading 276° to intercept course 300° to DREDS, then on track 322° to SHELZ, then on track 014° to JMACA, then on track 066° to BEEDZ, then on track 094° to LNKIN, then on track 087° to cross FEALX at or above 4000, thence. . .

TAKEOFF RUNWAY 28R: Climb on heading 276° to intercept course 287° to DREDS, then on track 322° to SHELZ, then on track 014° to JMACA, then on track 066° to BEEDZ, then on track 094° to LNKIN, then on track 087° to cross FEALX at or above 4000, thence. . .

. . .(transition). Maintain 4000. Expect clearance to filed altitude ten minutes after departure.

ETECK TRANSITION (FEALX2.ETECK)
FREEPORT TRANSITION (FEALX2.ZFP)
PADUS TRANSITION (FEALX2.PADUS)
SNAGY TRANSITION (FEALX2.SNAGY)
SUMRS TRANSITION (FEALX2.SUMRS)
WOLFO TRANSITION (FEALX2.WOLFO)