


|                        |                             |   |
|------------------------|-----------------------------|---|
| APP CRS<br><b>325°</b> | Rwy ldg<br>TDZE<br>Apt Elev | <b>7466</b><br><b>1124</b><br><b>1203</b> |
|------------------------|-----------------------------|---|

# RNAV (RNP) Z RWY 32

PITTSBURGH INTL (PIT)


|  |   |  |   |                                 |
|--|---|--|---|---------------------------------|
| RNP AR APCH - GPS.   |   | MALS                                   | MISSED APPROACH: Climb to 4000 on track 325° to JAVET and track 355° to ASIWU and track 035° to EWC VOR/DME and hold. |                                 |
| ▼ For uncompensated Baro-VNAV systems, procedure NA below -18°C (0°F) or above 54°C (130°F). |   |  |   |                                 |
| D-ATIS<br>ARR <b>127.25</b><br>DEP <b>135.9</b>  | PITTSBURGH APP CON<br><b>123.95 360.8</b> | PITTSBURGH TOWER<br><b>128.3 291.7</b> | GND CON<br>SOUTH <b>121.9 348.6</b><br>NORTH <b>127.8 348.6</b>   | CLNC DEL<br><b>126.75 353.7</b> |



NE-4, 31 OCT 2024 to 28 NOV 2024

NE-4, 31 OCT 2024 to 28 NOV 2024

|           |          |           |
|-----------|----------|-----------|
| ELEV 1203 | <b>D</b> | TDZE 1124 |
|-----------|----------|-----------|



|  |         |         |             |         |                 |
|--|---------|---------|-------------|---------|-----------------|
| 4000   | JAVET   | tr 355° | ASIWU       | tr 035° | EWC             |
| fr 325°  |         |         |             |         |                 |
| VGSi and RNAV glidepath not coincident (VGSi Angle 3.00/TCH 72). |         |         |             |         |                 |
|  | RW32    | 2500    | TRINITY     | 2500    | COPKU           |
|  |         | 325°    |             | 326°    | 5000            |
|  |         | 4.2 NM  |             | 7.9 NM  |                 |
|  |         |         |             |         | GP 3.00° TCH 37 |
| CATEGORY   | A       | B       | C           | D       |                 |
| RNP 0.30 DA  | 1503/40 |         | 379 (300-¾) |         |                 |
| <b>AUTHORIZATION REQUIRED</b>                                    |         |         |             |         |                 |