

| | | | |
|---|------------------------|-----------------------------|---|
| LOC/DME I-ACT 109.7 Chan 34 | APP CRS 187° | Rwy Idg TDZE Apt Elev | 6605 505 516 |
|---|------------------------|-----------------------------|---|

ILS or LOC RWY 19

WACO RGNL (ACT)



DME required.

MALS

MISSED APPROACH: Climb to 1500 then climbing left turn to 4000 on ACT VORTAC R-164 to BOSEL 14 DME and hold, continue climb-in-hold to 4000.

ASR ** RVR 1800 authorized with use of FD or AP or HUD to DA.

| | | | | |
|-----------------------|---|---|-------------------------|-------------------------|
| ATIS 123.85 | WACO APP CON ★ 127.65 227.125 | WACO TOWER ★ 119.3 (CTAF) 0 257.8 | GND CON 121.9 | UNICOM 122.95 |
|-----------------------|---|---|-------------------------|-------------------------|



| | | | | |
|-------------------|----------------------|----------------------|-------------------------|-----------------------|
| 1500 | 4000 | BOSEL | WESLI INT I-ACT 17 | |
| ↑ | ACT R-164 | △ | | |
| *LOC only. | | | | |
| I-ACT 1.3 | *I-ACT 2.3 | COFFI INT I-ACT 6.1 | 2100 | 2800 |
| | | | 187° | GS 3.00° TCH 55 |
| CATEGORY | A | B | C | D |
| S-ILS 19** | 705/24 200 (200-½) | | | |
| S-LOC 19 | 900/24 | 395 (400-½) | 900/35 | 395 (400-¾) |
| C CIRCLING | 940-1 424 (500-1) | 980-1 464 (500-1) | 1020-1½ 504 (600-1½) | 1160-2 644 (700-2) |