



| | | |
|-------------|----------|-------------|
| APP CRS | Rwy Idg | 8240 |
| 279° | TDZE | 18 |
| | Apt Elev | 20 |

RNAV (RNP) Z RWY 28R


PALM BEACH INTL (PBI)

| | | | | | |
|--|--|---|--|--|--|
| RNP AR APCH - GPS. | | MISSED APPROACH: Climb to 500 then climbing right turn to 3000 direct MORGA and hold. | | | |
| ▼ For uncompensated Baro-VNAV systems, procedure NA below 6°C or above 54°C. | | | | | |

| | | | | | |
|-------------------------|--|--|-------------------------------|--------------------------------|-------|
| D-ATIS 123.75 | PALM BEACH APP CON 128.3 317.4 | PALM BEACH TOWER 119.1 257.8 | GND CON 121.9 284.6 | CLNC DEL 121.6 284.6 | CPDLC |
|-------------------------|--|--|-------------------------------|--------------------------------|-------|



| | | | |
|-----|------|-------|--|
| 500 | 3000 | MORGA | VGSJ and RNAV glidepath not coincident (VGSJ Angle 3.00/TCH 70). |
| ↑ | ↷ | △ | |



| | | | | |
|-------------|---------------------|---|---|---|
| CATEGORY | A | B | C | D |
| RNP 0.30 DA | 404/60 386 (400-1¼) | | | |

AUTHORIZATION REQUIRED

SE-3, 28 NOV 2024 to 26 DEC 2024

SE-3, 28 NOV 2024 to 26 DEC 2024