


|                             |                        |                             |   |
|-----------------------------|------------------------|-----------------------------|---|
| VOR/DME ELX<br><b>116.6</b> | APP CRS<br><b>266°</b> | Rwy Idg<br>TDZE<br>Apt Elev | <b>6006</b><br><b>649</b><br><b>649</b> |
| Chan <b>113</b>             |                        |                             |   |

# VOR RWY 28

SOUTHWEST MICHIGAN RGNL (BEH)

|  |  |                                     |   |
|--|--|-------------------------------------|---|
| DME required.  |  | MALSR<br>                           | MISSED APPROACH: Climbing right turn to 2500 direct ELX VOR/DME and hold. |
| ▼ Circling Rwy 14, 32 NA at night. For inop ALS, increase S-28 Cats A and B visibility to 1 SM. ZEVMA fix minimums: for inop ALS, increase S-28 Cats A and B visibility to 1 SM and Cats C and D visibility to 1 3/8 SM. |  |                                     |   |
| ASOS<br><b>121.55</b>  | SOUTH BEND APP CON*<br><b>118.55 257.8</b> | SOUTH BEND CLNC DEL<br><b>119.7</b> | UNICOM<br><b>123.0 (CTAF)</b>   |



| ELEV <b>649</b>  | TDZE <b>649</b> | 2500                       | ELX             |                 |      |     |     |         |      |      |      |      |      |  |  |  |          |   |   |   |   |      |        |             |            |                 |                   |        |             |            |            |                    |  |  |  |  |      |          |               |        |             |                   |        |             |            |            |  |             |             |                 |                 |
|--|-----------------|----------------------------|-----------------|-----------------|------|-----|-----|---------|------|------|------|------|------|--|--|--|----------|---|---|---|---|------|--------|-------------|------------|-----------------|-------------------|--------|-------------|------------|------------|--------------------|--|--|--|--|------|----------|---------------|--------|-------------|-------------------|--------|-------------|------------|------------|--|-------------|-------------|-----------------|-----------------|
|  |                 | One Minute Holding Pattern |                 |                 |      |     |     |         |      |      |      |      |      |  |  |  |          |   |   |   |   |      |        |             |            |                 |                   |        |             |            |            |                    |  |  |  |  |      |          |               |        |             |                   |        |             |            |            |  |             |             |                 |                 |
| REIL Rwys 10, 14 and 32<br>MIRL Rwy 14-32<br>HIRL Rwy 10-28  |                 | FAF to MAP 4.9 NM          |                 |                 |      |     |     |         |      |      |      |      |      |  |  |  |          |   |   |   |   |      |        |             |            |                 |                   |        |             |            |            |                    |  |  |  |  |      |          |               |        |             |                   |        |             |            |            |  |             |             |                 |                 |
| <table border="1"> <tr> <td>Knots</td> <td>60</td> <td>90</td> <td>120</td> <td>150</td> <td>180</td> </tr> <tr> <td>Min:Sec</td> <td>4:54</td> <td>3:16</td> <td>2:27</td> <td>1:58</td> <td>1:38</td> </tr> </table> |                 | Knots                      | 60              | 90              | 120  | 150 | 180 | Min:Sec | 4:54 | 3:16 | 2:27 | 1:58 | 1:38 | <table border="1"> <thead> <tr> <th>CATEGORY</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>S-28</td> <td>1300-1</td> <td>651 (700-1)</td> <td>1300-1 3/8</td> <td>651 (700-1 3/8)</td> </tr> <tr> <td><b>C</b> CIRCLING</td> <td>1300-1</td> <td>651 (700-1)</td> <td>1300-1 3/4</td> <td>1340-2 1/4</td> </tr> <tr> <td colspan="5" style="text-align:center">ZEVMA FIX MINIMUMS</td> </tr> <tr> <td>S-28</td> <td>1140-3/4</td> <td>491 (500-3/4)</td> <td>1140-1</td> <td>491 (500-1)</td> </tr> <tr> <td><b>C</b> CIRCLING</td> <td>1140-1</td> <td>511 (600-1)</td> <td>1300-1 3/4</td> <td>1340-2 1/4</td> </tr> <tr> <td></td> <td>491 (500-1)</td> <td>511 (600-1)</td> <td>651 (700-1 3/4)</td> <td>691 (700-2 1/4)</td> </tr> </tbody> </table> |  |  | CATEGORY | A | B | C | D | S-28 | 1300-1 | 651 (700-1) | 1300-1 3/8 | 651 (700-1 3/8) | <b>C</b> CIRCLING | 1300-1 | 651 (700-1) | 1300-1 3/4 | 1340-2 1/4 | ZEVMA FIX MINIMUMS |  |  |  |  | S-28 | 1140-3/4 | 491 (500-3/4) | 1140-1 | 491 (500-1) | <b>C</b> CIRCLING | 1140-1 | 511 (600-1) | 1300-1 3/4 | 1340-2 1/4 |  | 491 (500-1) | 511 (600-1) | 651 (700-1 3/4) | 691 (700-2 1/4) |
| Knots  | 60              | 90                         | 120             | 150             | 180  |     |     |         |      |      |      |      |      |  |  |  |          |   |   |   |   |      |        |             |            |                 |                   |        |             |            |            |                    |  |  |  |  |      |          |               |        |             |                   |        |             |            |            |  |             |             |                 |                 |
| Min:Sec  | 4:54            | 3:16                       | 2:27            | 1:58            | 1:38 |     |     |         |      |      |      |      |      |  |  |  |          |   |   |   |   |      |        |             |            |                 |                   |        |             |            |            |                    |  |  |  |  |      |          |               |        |             |                   |        |             |            |            |  |             |             |                 |                 |
| CATEGORY   | A               | B                          | C               | D               |      |     |     |         |      |      |      |      |      |  |  |  |          |   |   |   |   |      |        |             |            |                 |                   |        |             |            |            |                    |  |  |  |  |      |          |               |        |             |                   |        |             |            |            |  |             |             |                 |                 |
| S-28   | 1300-1          | 651 (700-1)                | 1300-1 3/8      | 651 (700-1 3/8) |      |     |     |         |      |      |      |      |      |  |  |  |          |   |   |   |   |      |        |             |            |                 |                   |        |             |            |            |                    |  |  |  |  |      |          |               |        |             |                   |        |             |            |            |  |             |             |                 |                 |
| <b>C</b> CIRCLING  | 1300-1          | 651 (700-1)                | 1300-1 3/4      | 1340-2 1/4      |      |     |     |         |      |      |      |      |      |  |  |  |          |   |   |   |   |      |        |             |            |                 |                   |        |             |            |            |                    |  |  |  |  |      |          |               |        |             |                   |        |             |            |            |  |             |             |                 |                 |
| ZEVMA FIX MINIMUMS   |                 |                            |                 |                 |      |     |     |         |      |      |      |      |      |  |  |  |          |   |   |   |   |      |        |             |            |                 |                   |        |             |            |            |                    |  |  |  |  |      |          |               |        |             |                   |        |             |            |            |  |             |             |                 |                 |
| S-28   | 1140-3/4        | 491 (500-3/4)              | 1140-1          | 491 (500-1)     |      |     |     |         |      |      |      |      |      |  |  |  |          |   |   |   |   |      |        |             |            |                 |                   |        |             |            |            |                    |  |  |  |  |      |          |               |        |             |                   |        |             |            |            |  |             |             |                 |                 |
| <b>C</b> CIRCLING  | 1140-1          | 511 (600-1)                | 1300-1 3/4      | 1340-2 1/4      |      |     |     |         |      |      |      |      |      |  |  |  |          |   |   |   |   |      |        |             |            |                 |                   |        |             |            |            |                    |  |  |  |  |      |          |               |        |             |                   |        |             |            |            |  |             |             |                 |                 |
|  | 491 (500-1)     | 511 (600-1)                | 651 (700-1 3/4) | 691 (700-2 1/4) |      |     |     |         |      |      |      |      |      |  |  |  |          |   |   |   |   |      |        |             |            |                 |                   |        |             |            |            |                    |  |  |  |  |      |          |               |        |             |                   |        |             |            |            |  |             |             |                 |                 |

EC-1, 28 NOV 2024 to 26 DEC 2024

EC-1, 28 NOV 2024 to 26 DEC 2024