


|  |                        |                             |   |
|--|------------------------|-----------------------------|---|
| WAAS<br>CH <b>50228</b><br><b>W22B</b> | APP CRS<br><b>225°</b> | Rwy Idg<br>TDZE<br>Apt Elev | <b>8075</b><br><b>654</b><br><b>680</b> |
|--|------------------------|-----------------------------|---|


# RNAV (GPS) RWY 22L

CHICAGO O'HARE INTL (ORD)



**⚠** For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -19°C (-2°F) or above 54°C (130°F). Simultaneous approach authorized with Rwy 22R. DME/DME RNP-0.3 NA. LNAV procedure NA during simultaneous operations. Use of FD or AP providing RNAV track guidance required during simultaneous operations.

MALSR  MISSED APPROACH: Climb to 1100 then climbing left turn to 4000 direct CGT VORTAC and hold.

|  |   |                                     |   |   |                          |       |
|--|---|-------------------------------------|---|---|--------------------------|-------|
| D-ATIS<br><b>135.4</b><br><b>282.225</b> | CHICAGO APP CON<br><b>119.0 292.125</b> | O'HARE TOWER<br><b>120.75 348.0</b> | GND CON (TWR NORTH)<br><b>124.125</b><br>(TWR SOUTH)<br><b>118.05</b><br>(ALL TWRs)<br><b>226.675</b> | (TWR CENTER)<br><b>121.75</b> (OBND)<br><b>121.9</b> (IBND) | CLNC DEL<br><b>121.6</b> | CPDLC |
|--|---|-------------------------------------|---|---|--------------------------|-------|



|          |          |          |
|----------|----------|----------|
| ELEV 680 | <b>D</b> | TDZE 654 |
|----------|----------|----------|



| CATEGORY          | A       | B           | C                       | D                       |
|-------------------|---------|-------------|-------------------------|-------------------------|
| LPV DA            |         | 854/18      | 200 (200-½)             |                         |
| LNAV/VNAV DA      |         | 1066/45     | 412 (400-¾)             |                         |
| LNAV MDA          | 1120/24 | 466 (500-½) | 1120/50                 | 466 (500-1)             |
| <b>C</b> CIRCLING | 1220-1  | 540 (600-1) | 1220-1½<br>540 (600-1½) | 1460-2½<br>780 (800-2½) |

EC-3, 26 DEC 2024 to 23 JAN 2025

EC-3, 26 DEC 2024 to 23 JAN 2025