

RNAV (RNP) Z RWY 14R

EPPLEY AIRFIELD (OMA)

APP CRS 142°	Rwy Idg 9502
	TDZE 985
	Apt Elev 985


RNP AR APCH

▼ For uncompensated Baro-VNAV systems, procedure NA below -17°C or above 54°C. For inop ALS, increase RNP 0.11 DA visibility all Cats to RVR 5500 and RNP 0.30 DA visibility all Cats to 1½ SM.


ALSF-2

MISSED APPROACH: Climb to 3000 on track 142° to ZINOR and on track 129° to OVR VORTAC and hold.

D-ATIS 120.4	OMAHA APP CON 135.875 354.05	OMAHA TOWER 132.1 256.9	GND CON 121.9	CLNC DEL 119.9
------------------------	--	-----------------------------------	-------------------------	--------------------------



CEDIR 2000	3000 ↑ fr 142°	ZINOR	fr 129°	OVR
GP 3.00° TCH 57	See planview for multiple IF locations.			
3 NM				



CATEGORY	A	B	C	D
RNP 0.11 DA		1333/40	348 (400-¾)	
RNP 0.30 DA		1502/60	517 (600-¼)	

AUTHORIZATION REQUIRED

HIRL all Rwys
TDZ/CL Rwys 14R and 32R

NC-2, 26 DEC 2024 to 23 JAN 2025

NC-2, 26 DEC 2024 to 23 JAN 2025