

LOC I-PDT 110.3	APP CRS 254°	Rwy ldg TDZE Apt Elev	6301 1487 1497
---------------------------	------------------------	-----------------------------	---

ILS or LOC RWY 26

EASTERN OREGON RGNL AT PENDLETON (PDT)


DME required.

▼ DME from PDT VORTAC. Simultaneous reception of I-PDT and PDT DME required.
▲ *RVR 1800 authorized with use of FD or AP or HUD to DA.



MALSR

MISSED APPROACH: Climb to 4200 direct PDT VORTAC and hold, continue climb-in-hold to 4200.

ASOS 118.325	SPOKANE APP CON * 133.15 379.15	PENDLETON TOWER * 119.7 (CTAF) 257.8	GND CON 121.9 257.8	UNICOM 122.95
------------------------	---	--	-------------------------------	-------------------------



ELEV 1497	D	TDZE 1487
-----------	----------	-----------



CATEGORY	A	B	C	D
S-ILS 26*	1687/24 200 (200-½)			
S-LOC 26	1880/24	393 (400-½)	1880/40	393 (400-¾)
C CIRCLING	1920-1 423 (500-1)	1960-1 463 (500-1)	1980-1½ 483 (500-1½)	2200-2¼ 703 (800-2¼)

NW-1, 26 DEC 2024 to 23 JAN 2025

NW-1, 26 DEC 2024 to 23 JAN 2025