

| | | |
|---|------------------------|--|
| LOC/DME I-TUS 111.7 Chan 54 | APP CRS 126° | Rwy Idg 10996 TDZE 2599 Apt Elev 2643 |
|---|------------------------|--|

ILS or LOC RWY 12

TUCSON INTL (TUS)


RADAR or DME required. RADAR required for procedure entry at TACUB.



MISSED APPROACH: Climb to 4000 then climbing right turn to 6000 on heading 300° and on TUS VORTAC R-270 to MADSS/TUS 12.8 DME and hold, continue climb in-hold to 6000.

▼ For inop ALS, increase S-ILS 12 Cat E visibility to RVR 4000,
▲ S-LOC 12 Cat E visibility to 2 ½ SM; LEBRE fix minimums: S-LOC 12 Cat C/D/E visibility to RVR 5500.
*RVR 1800 authorized with use of FD or AP or HUD to DA.

| | | | | |
|-----------------------------|--------------------------------------|------------------------------------|---------------------------------|---------------------------------|
| ATIS 123.8 279.65 | TUCSON APP CON 119.4 318.1 | TUCSON TOWER 118.3 257.8 | GND CON 120.025 348.6 | CLNC DEL 126.65 326.2 |
|-----------------------------|--------------------------------------|------------------------------------|---------------------------------|---------------------------------|



Procedure NA for arrival on TUS VORTAC airway radials 288 CW 308.


Procedure NA for arrivals at SSAND on J104 eastbound.

LOCALIZER 111.7
I-TUS
Chan 54


TUCSON 116.0 TUS
Chan 107

Use I-TUS DME when on the localizer course.

| | | | | | | | | |
|----------------------------|--------------------|--------------------|--------------------|-------------------|-----------------|-------------------|-----------|------------------|
| One Minute Holding Pattern | LIPTE I-TUS [17.5] | WASON I-TUS [12.5] | CALLS I-TUS [10.2] | POCIB I-TUS [8.3] | LEBRE I-TUS [5] | HUGIK I-TUS [2.5] | TUS R-270 | MADSS TUS [12.8] |
|----------------------------|--------------------|--------------------|--------------------|-------------------|-----------------|-------------------|-----------|------------------|



| CATEGORY | A | B | C | D | E |
|--------------------|-----------------------|-----------------------|-------------------------|------------------------|-------------------------|
| S-ILS 12* | 2799/24 200 (200-½) | | | | |
| S-LOC 12 | 3540/40 | 941 (1000-¾) | 3540-2 941 (1000-2) | | |
| CIRCLING | 3540-1¼ | 897 (900-1¼) | 3540-2¾ 897 (900-2¾) | 3640-3 997 (1000-3) | 3900-3 1257 (1300-3) |
| LEBRE FIX MINIMUMS | | | | | |
| S-LOC 12 | 2960/24 | 361 (400-½) | 2960/35 | 361 (400-¾) | |
| CIRCLING | 3160-1 517 (600-1) | 3220-1 577 (600-1) | 3220-½ 577 (600-½) | 3640-3 997 (1000-3) | 3900-3 1257 (1300-3) |



SW-4, 26 DEC 2024 to 23 JAN 2025

SW-4, 26 DEC 2024 to 23 JAN 2025

| | | | | | | | | | | |
|---------|--|--|--|--|--|------|------|------|------|------|
| Knots | | | | | | 60 | 90 | 120 | 150 | 180 |
| Min:Sec | | | | | | 5:48 | 3:52 | 2:54 | 2:19 | 1:56 |