


APP CRS	Rwy Idg	8151
099°	TDZE	16
	Apt Elev	20

RNAV (RNP) Z RWY 10L


PALM BEACH INTL (PBI)

RNP AR APCH - GPS.	MALSR	MISSED APPROACH: Climb to 1000 then climbing left turn to 3000 direct MORGA and hold.
▼ For uncompensated Baro-VNAV systems, procedure NA below 6°C or above 54°C.		

D-ATIS	PALM BEACH APP CON	PALM BEACH TOWER	GND CON	CLNC DEL	CPDLC
123.75	128.3 317.4	119.1 257.8	121.9 284.6	121.6 284.6	




ELEV	20	D	TDZE	16
------	----	----------	------	----



HIRL Rwy 10L-28R
 REIL Rws 10R, 14, 28L, 28R and 32
 MIRL Rws 14-32 and 10R-28L

VGSi and RNAV glidepath not coincident (VGSi Angle 3.00/TCH 68).

1000	3000	MORGA



CATEGORY	A	B	C	D
RNP 0.30 DA	355/26 339 (400-1/2)			

AUTHORIZATION REQUIRED

SE-3, 26 DEC 2024 to 23 JAN 2025

SE-3, 26 DEC 2024 to 23 JAN 2025