




| | | |
|---------------------------------------|------------------------|--|
| VORTAC MFD 108.8 Chan 25 | APP CRS 130° | Rwy Idg TDZE Apt Elev 9001 1276 1297 |
|---------------------------------------|------------------------|--|

VOR RWY 14

MANSFIELD LAHM RGNL (MFD)

| | | | |
|---|--|--|--|
| DME required. RADAR required for procedure entry. | | MISSED APPROACH: Climb to 1700 then climbing left turn to 3000 on MFD VORTAC R-101 to READS/MFD 20.7 DME and hold. | |
|---|--|--|--|

| | | | | |
|----------------------|---|--|---------------------------------|-------------------------|
| ATIS 125.3 | CLEVELAND APP CON * 128.35 360.65 | MANSFIELD TOWER * 119.8 (CTAF) 291.775 | GND CON 121.8 291.775 | UNICOM 122.95 |
|----------------------|---|--|---------------------------------|-------------------------|



| CATEGORY | A | B | C | D |
|----------|--------------------|-------------|-----------------------|-------------------------------|
| S-14 | 1640-1 364 (400-1) | | | |
| CIRCLING | 1760-1 | 463 (500-1) | 2000-2 703 (800-2) | 2000-2 1/4 703 (800-2 1/4) |

EC-2, 26 DEC 2024 to 23 JAN 2025

EC-2, 26 DEC 2024 to 23 JAN 2025