


APP CRS	Rwy Idg	<b>9426</b>
<b>164°</b>	TDZE	<b>430</b>
	Apt Elev	<b>433</b>

# RNAV (RNP) Z RWY 16C

SEATTLE-TACOMA INTL (SEA)

<p><b>▽</b> For uncompensated Baro-VNAV systems, procedure NA below -6°C (22°F) or above 54°C (130°F). GPS required. See additional requirements on adjacent information page. For inop ALS, increase RNP 0.12 all Cats visibility to RVR 5200, and increase RNP 0.30 all Cats visibility to 1 3/8 SM.</p>	<p>SEATTLE TOWER                  (Rwys 16L, 16C, 34C, 34R)  <b>119.9 239.3</b>  <b>120.95 239.3</b> (Rwys 16R, 34L)</p>		<p>GND CON  <b>121.7</b></p>	<p>CLNC DEL  <b>128.0</b></p>	<p>CPDLC</p>
	<p>D-ATIS  <b>118.0</b></p>	<p>SEATTLE APP CON  <b>133.65 273.45</b></p>	<p>ALSF-2  </p>	<p>MISSED APPROACH: Climb direct ZIVDI to cross ZIVDI at or below 2000, then climb to 5000 on track 163° to MILLT and hold, continue climb-in-hold to 5000.</p>	




**RADAR REQUIRED**


△ 1745

△ 2164

△ 3149




<p>ZIVDI 2000</p>	<p>5000 tr 163°</p>	<p>MILLT</p>	<p>VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 71).</p>	<p>EPUDE</p>
-----------------------	-------------------------	--------------	---	--------------



CATEGORY	A	B	C	D
RNP 0.12 DA		758/29	328 (400-%)	
RNP 0.30 DA		834/43	404 (500-%)	

**AUTHORIZATION REQUIRED**



HIRL all Rwys  
 TDZ/CL Rwys 16L, 16C, 16R and 34R

NW-1, 23 JAN 2025 to 20 FEB 2025

NW-1, 23 JAN 2025 to 20 FEB 2025

**SEATTLE-TACOMA INTL AIRPORT**

**ALERT NOTICE**

**ATTENTION ALL AIRCRAFT LANDING TO THE SOUTH:**

When transitioning from an instrument procedure to a visual approach to Runway 16C, verify you are aligned for the intended landing Runway, not Taxiway Tango. Taxiway Tango is west and parallel to Runway 16C.

**TRANSITION TO VISUAL:**

Taxiway Tango has been mistaken for Runway 16C from the air during certain visibility conditions, i.e., wet runway, low sun angle reflections. Aircrews are advised to be aware of the proximity of the taxiway to Runway 16C and its runway-like appearance while on approach.

**RECOMMENDATION:**

Aircrews should use visual cues, e.g., approach lighting systems, REILs, when available, to confirm alignment with Runway 16C not Taxiway Tango. Additionally, it is recommended when executing a segment of the ILS approach for a visual transition, track the localizer until the runway environment is visually verified.

NW-1, 23 JAN 2025 to 20 FEB 2025

NW-1, 23 JAN 2025 to 20 FEB 2025

