




LOC/DME I-CRE 111.7 Chan 54	APP CRS 234°	Rwy Idg TDZE 30 Apt Elev 32	5997
---	------------------------	---	-------------

ILS or LOC RWY 23

GRAND STRAND (CRE)

DME required.	MALSR 	MISSED APPROACH: Climb to 1000 then climbing left turn to 2000 direct CRE VORTAC and hold, continue climb-in-hold to 2000.
Rwy 23 helicopter visibility reduction below 3/4 SM NA. For inop ALS, increase S-LOC 23 Cat A/B visibility to 1 SM.		

ATIS 119.625	MYRTLE BEACH APP CON * 119.2 350.3	STRAND TOWER * 124.6 (CTAF) 0 257.6	GND CON 121.8 257.6	CLNC DEL 121.8	UNICOM 122.95
------------------------	--	---	-------------------------------	--------------------------	-------------------------



CATEGORY	A	B	C	D
S-ILS 23		230-1/2	200 (200-1/2)	
S-LOC 23		460-3/4	430 (500-3/4)	
CIRCLING	520-1	488 (500-1)	720-2 688 (700-2)	720-2 1/4 688 (700-2 1/4)

SE-2, 20 FEB 2025 to 20 MAR 2025

SE-2, 20 FEB 2025 to 20 MAR 2025