




| | | | |
|----------------------|------------------------|-----------------------------|---|
| LOM BU 230 | APP CRS 038° | Rwy Idg TDZE Apt Elev | 5500 904 904 |
|----------------------|------------------------|-----------------------------|---|

NDB RWY 4

BOLTON FLD (TZR)

| | | | |
|---|--|-------|---|
| RADAR required for procedure entry. | | MALSR | MISSED APPROACH: Climb to 1400 then climbing right turn to 2700 direct BU LOM and hold. |
| <p>▼ For inop ALS, increase S-4 Cats A/B visibility to 1 SM and S-4 Cats C/D visibility to 1½ SM.</p> | | | |

| | | | |
|----------------------------|--|--------------------------------------|-------------------------|
| AWOS-3PT 135.925 | COLUMBUS APP CON 134.0 279.6 | BOLTON TOWER★ 128.1 (CTAF) | GND CON 121.8 |
|----------------------------|--|--------------------------------------|-------------------------|



| CATEGORY | A | B | C | D |
|----------|--------------------|---|----------------------|----------------------|
| S-4 | 1400-¾ 496 (500-¾) | | 1400-1 496 (500-1) | 1400-1¼ 496 (500-1¼) |
| CIRCLING | 1400-1 496 (500-1) | | 1400-1½ 496 (500-1½) | 1500-2 596 (600-2) |

EC-2, 20 FEB 2025 to 20 MAR 2025

EC-2, 20 FEB 2025 to 20 MAR 2025