


|                            |                        |                         |
|----------------------------|------------------------|-------------------------|
| LOC I-PWA<br><b>110.15</b> | APP CRS<br><b>175°</b> | Rwy Idg<br><b>6844</b>  |
|                            |                        | TDZE<br><b>1291</b>     |
|                            |                        | Apt Elev<br><b>1300</b> |

# ILS or LOC RWY 17L

WILEY POST (PWA)

|                        |  |       |  |  |
|------------------------|--|-------|--|--|
| DME or RADAR required. |  | MALSR | MISSED APPROACH: Climb to 1800 then climbing left turn to 3000 direct IRW VORTAC and hold. |  |
|                        |  |       |  |  |


|                        |  |  |                         |                         |
|------------------------|--|--|-------------------------|-------------------------|
| ATIS<br><b>128.725</b> | OKE CITY APP CON<br><b>124.6 266.8</b> | WILEY POST TOWER *<br><b>126.9(CTAF) 0 306.9</b> | GND CON<br><b>121.7</b> | UNICOM<br><b>122.95</b> |
|------------------------|--|--|-------------------------|-------------------------|



SC-1, 20 MAR 2025 to 17 APR 2025

SC-1, 20 MAR 2025 to 17 APR 2025

|                            |                    |                  |               |               |     |
|----------------------------|--------------------|------------------|---------------|---------------|-----|
| One Minute Holding Pattern | WABDU PWA 11 RADAR | DIRGE OM PWA 5.6 | 1800          | 3000          | IRW |
| 5700 ← 355°                | 175° →             | 2904             | PWA 1.6       | PWA 0.7       |     |
| 3000                       | 175°               | 3000             |               |               |     |
| GS 3.00°                   | TCH 54             | 5.4 NM           | 4 NM          | 0.9 NM        |     |
| CATEGORY                   | A                  | B                | C             | D             |     |
| S-ILS 17L                  |                    | 1491-1/2         | 200 (200-1/2) |               |     |
| S-LOC 17L                  | 1640-1/2           | 349 (400-1/2)    | 1640-5/8      | 349 (400-5/8) |     |
| CIRCLING                   | 1780-1             | 480 (500-1)      | 1880-1/2      | 1880-2        |     |
|                            |                    |                  | 580 (600-1/2) | 580 (600-2)   |     |



|         |      |      |      |      |      |
|---------|------|------|------|------|------|
| Knots   | 60   | 90   | 120  | 150  | 180  |
| Min:Sec | 4:54 | 3:16 | 2:27 | 1:58 | 1:38 |