


LOC I-BUI 111.7	APP CRS 231°	Rwy Ldg TDZE 984 Apt Elev 986
---------------------------	------------------------	--


ILS RWY 23R (SA CAT I)

MC GHEE TYSON (TYS)

DME or RADAR required.		ALSIF-2	MISSED APPROACH: Climb to 2000 then climbing right turn to 4000 on heading 240° and VXV VORTAC R-231 to GROSS INT/VXV 29.1 DME and hold.	
ATIS 128.35		KNOXVILLE APP CON 123.9 360.8	KNOXVILLE TOWER 121.2 257.8	GND CON 121.9 348.6
				CLNC DEL 121.65



ELEV 986	D	TDZE 984
----------	---	----------



HIRL Rwys 5L-23R and 5R-23L
REIL Rwys 5R and 23L
TDZ/CL Rwys 5R and 23R

2000	4000	VXV R-231	GROSS
↑	hdg 240°		△
BUZBY OM VXV 2.5 RADAR		HIGAR INT	NEYLN VXV 4.7
MM		2364	231°
		2400	3000
0.3		3.9 NM	2.4 NM
		4.6 NM	
CATEGORY	A	B	C
S-ILS 23R	RA 150/14 150 DA 1134		

SA CATEGORY I ILS- SPECIAL AIRCREW & AIRCRAFT CERTIFICATION REQUIRED