

|         |          |       |
|---------|----------|-------|
| APP CRS | Rwy Ldg  | 11236 |
| 284°    | TDZE     | 13    |
|         | Apt Elev | 13    |

RNAV (RNP) Y RWY 28R

SAN FRANCISCO INTL (SFO)

|                                                                                                                                                                                            |        |                                                                                                                                                                                                                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RNP AR APCH, RF required.                                                                                                                                                                  | ALSF-2 | MISSED APPROACH: Climb to 3000 on track 284° to VIKYU and hold.<br>* Missed approach requires minimum climb of 250 feet per NM to 1600.<br># Missed approach requires minimum climb of 350 feet per NM to 2100. |
| ▼ For uncompensated Baro-VNAV systems, procedure NA below 3°C or above 54°C. For inop ALS, increase RNP 0.11 all Cats visibility to RVR 4000 and RNP 0.30 all Cats visibility to RVR 4500. |        |                                                                                                                                                                                                                 |

|                                 |                               |                                    |                  |                   |       |
|---------------------------------|-------------------------------|------------------------------------|------------------|-------------------|-------|
| D-ATIS<br>113.7 115.8<br>118.85 | NORCAL APP CON<br>134.5 338.2 | SAN FRANCISCO TOWER<br>120.5 269.1 | GND CON<br>121.8 | CLNC DEL<br>118.2 | CPDLC |
|---------------------------------|-------------------------------|------------------------------------|------------------|-------------------|-------|

