



LOC/DME I-ACT 109.7 Chan 34	APP CRS 187°	Rwy Ldg TDZE Apt Elev 6605 505 516
---	------------------------	--

ILS or LOC RWY 19
WACO RGNL (ACT)

DME required.	MALSR	MISSED APPROACH: Climb to 1500 then climbing left turn to 4000 on ACT VORTAC R-164 to BOSEL 14 DME and hold, continue climb-in-hold to 4000.
ASR		

ATIS 123.85	WACO APP CON ★ 127.65 227.125	WACO TOWER ★ 119.3 (CTAF) 0 257.8	GND CON 121.9	UNICOM 122.95
-----------------------	---	---	-------------------------	-------------------------



ELEV 516	TDZE 505	1500	4000	BOSEL	WESLI INT I-ACT 17
187°	6.1	ACT R-164	COFFI INT I-ACT 6.1	2100	2800
*LOC only.	*I-ACT 2.3	I-ACT 1.3	2100	187°	GS 3.00° TCH 55
1.1	3.8 NM	10.9 NM			
CATEGORY	A	B	C	D	
S-ILS 19**	705/24 200 (200-½)				
S-LOC 19	900/24 395 (400-½)		900/35 395 (400-¾)		
CIRCLING	940-1 424 (500-1)	980-1 464 (500-1)	1020-1½ 504 (600-½)	1160-2 644 (700-2)	