

(GIDGT3.GIDGT) 07AUG25

GIDGT THREE DEPARTURE (RNAV) Departure Routes

LAS VEGAS, NEVADA
HARRY REID INTL (LAS)

LAS VEGAS DEP CON

133.95 353.7

D-ATIS

132.4

CLNC DEL

118.0

CPDLC

GND CON

121.1 270.8 E of 1R/19L

121.9 254.3 W of 1L/19R

LAS VEGAS TOWER

118.75 257.8 (Rwys 1L/19R, 1R/19L)

119.9 257.8 (Rwys 8L/26R, 8R/26L)

RNAV 1 - DME/DME/IRU or GPS.

RADAR required for non-GPS equipped aircraft.

TOP ALTITUDE:
FL190

N

TAKEOFF MINIMUMS


Rwy 1L: Standard with minimum climb of 500'/NM to 2681, then 286'/NM to 4900.

Rwy 1R: Standard with minimum climb of 500'/NM to 2681, then 295'/NM to 4900.

Rwys 8L/R, 19L/R: Standard with minimum climb of 500'/NM to 2681.

Rwy 26L: Standard with minimum climb of 500'/NM to 2681, then 204'/NM to 4100.

Rwy 26R: Standard with minimum climb of 500'/NM to 2681, then 271'/NM to 4100.



NOTE: Turbojet only.

NOTE: SSKEE and IWANS Transition assigned by ATC - do not file.

NOTE: Chart not to scale.

(CONTINUED ON FOLLOWING PAGE)

(GIDGT3.GIDGT) 25247
GIDGT THREE DEPARTURE (RNAV) Departure Routes

AL-662 (FAA)

HARRY REID INTL (LAS)
LAS VEGAS, NEVADA

(GIDGT3.GIDGT) 07AUG25

GIDGT THREE DEPARTURE (RNAV) Transition Routes

LAS VEGAS, NEVADA
HARRY REID INTL (LAS)

LAS VEGAS DEP CON

133.95 353.7

D-ATIS

132.4

CLNC DEL

118.0

CPDLC

GND CON

121.1 270.8 E of 1R/19L

121.9 254.3 W of 1L/19R

LAS VEGAS TOWER


118.75 257.8 (Rwys 1L/19R, 1R/19L)

119.9 257.8 (Rwys 8L/26R, 8R/26L)

RNAV 1 - DME/DME/IRU or GPS.

RADAR required for non-GPS equipped aircraft.

N

TOP ALTITUDE:
FL190

(CONTINUED ON FOLLOWING PAGE)

NOTE: Chart not to scale.

(GIDGT3.GIDGT) 25247
GIDGT THREE DEPARTURE (RNAV)Al-662 (FAA)
Transition RoutesHARRY REID INTL (LAS)
LAS VEGAS, NEVADA



DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAY 1L: Climb on heading 014° to intercept course 068° to KYBAD, then on track 072° to HAIDN, then on track 073° to cross AIRRO at or above 11500 and at or below 250K, then on track 075° to GIDGT, thence. . . .

TAKEOFF RUNWAY 1R: Climb on heading 014° to intercept course 069° to KYBAD, then on track 072° to HAIDN, then on track 073° to cross AIRRO at or above 11500 and at or below 250K, then on track 075° to GIDGT, thence. . . .

TAKEOFF RUNWAYS 8L/R: Climb on heading 079° to 2681, then direct to cross AYVUH at or above 6000, then on track 079° to MLVIN, then on track 064° to cross GEEZY at or above 12000, then on track 065° to cross JETTG at or below 14000, then on track 065° to GIDGT, thence. . . .

TAKEOFF RUNWAY 19L: Climb on heading 194° to intercept course 271° to cross LEELN at or below 8000 and at or below 210K, then on track 336° to cross GLIAN at or above 5000 and at or below 230K, then on track 050° to cross BACCK at or above 6000, then on track 058° to cross ALOLY at or above 7000, then on track 079° to cross TTEEA at or above 14000, then on track 079° to GIDGT, thence. . . .

TAKEOFF RUNWAY 19R: Climb on heading 194° to intercept course 270° to cross LEELN at or below 8000 and at or below 210K, then on track 336° to cross GLIAN at or above 5000 and at or below 230K, then on track 050° to cross BACCK at or above 6000, then on track 058° to cross ALOLY at or above 7000, then on track 079° to cross TTEEA at or above 14000, then on track 079° to GIDGT, thence. . . .

TAKEOFF RUNWAYS 26L/R: Climb on heading 259° to 2681, then direct to cross LEELN at or below 8000 and at or below 210K, then on track 336° to cross GLIAN at or above 5000 and at or below 230K, then on track 050° to cross BACCK at or above 6000, then on track 058° to cross ALOLY at or above 7000, then on track 079° to cross TTEEA at or above 14000, then on track 079° to GIDGT, thence. . . .

. . . .on (transition). Maintain FL190. Expect filed altitude 10 minutes after departure.

- IWANS TRANSITION (GIDGT3.IWANS)
- SSKEE TRANSITION (GIDGT3.SSKEE)
- TUKRR TRANSITION (GIDGT3.TUKRR)
- VERKN TRANSITION (GIDGT3.VERKN)

SW-4, 27 NOV 2025 to 25 DEC 2025

SW-4, 27 NOV 2025 to 25 DEC 2025