

APP CRS	Rwy Idg	9002
277°	TDZE	40
	Apt Elev	74


RNAV (GPS) RWY 28

HENRY E ROHLSSEN (STX)(TISX)

T Circling NA N of Rwy 10-28. DME/DME RNP-0.3 NA.
 Visibility reduction by helicopters NA. When local altimeter
 setting not received, procedure NA.

MISSED APPROACH: Climbing left turn to 2400 direct CODRA and hold.

ATIS 135.65	SAN JUAN CENTER 128.65 279.6	ST. CROIX TOWER ★ 118.6(CTAF) 0 239.3	GND CON 121.7	UNICOM 123.0
----------------	---------------------------------	--	------------------	-----------------



ELEV 74		TDZE 40
---------	--	---------




Figure 1: Example of a 4 NM Holding Pattern. The diagram illustrates a holding pattern with the following segments and turns:

- Initial turn: 1.4 NM to RW28
- First leg: 2.3 NM to RW28
- Second leg: 2.6 NM to TCH 55
- Third leg: 6 NM to TCH 55
- Turn angles: 3.06° and 3.06°
- Pattern labels: CODRA, HIVOD, JOMBI 4.5 NM to RW28, FEGR 2.3 NM to RW28
- Pattern type: 4 NM Holding Pattern
- Pattern direction: 097° and 277°
- Pattern note: VGSJ and descent angles not coincident (VGSJ Angle 3.00/TCH 80).