


VORTAC ACT	APP CRS	Rwy Ldg	5501
115.3	185°	TDZE	592
Chan 100		Apt Elev	592

VOR RWY 17
MC GREGOR EXEC (PWG)

ADF or DME required.		MISSED APPROACH: Climb to 1000 then climbing right turn to 4000 direct ACT VORTAC and hold, continue climb-in-hold to 4000.
ASR		
AWOS-3PT 135.525	WACO APP CON★ 127.65 352.0	UNICOM 123.05 (CTAF) 0



1000	4000	ACT	VGSI and descent angles not coincident (VGSI Angle 3.00/TCH 36).	
↑	↗	⬡	Remain within 10 NM	
			CEMET INT ACT 6.1	ACT VORTAC
			ACT 9.3	2100
			3.00° TCH 45	2000
			1.1	3.2 NM
			6.1 NM	
CATEGORY	A	B	C	D
S-17	980-1	388 (400-1)	980-1 388 (400-1 388 (400-1 1/2)	NA
CIRCLING	980-1 388 (400-1)	1060-1 468 (500-1)	1300-2 708 (800-2)	NA

ELEV 592	TDZE 592
185°	
Z1	
Z2	
5501 X 75 0.4% Up	
3484 X 55	
35	
REIL Rwy 17 0	
MIRL Rwy 17-35 0	
FAF to MAP 4.3 NM	
Knots	60 90 120 150 180
Min:Sec	4:18 2:52 2:09 1:43 1:26