


LOC I-PWB 111.9	APP CRS 279°	Rwy Ldg TDZE Apt Elev 8240 18 20
---------------------------	------------------------	--

ILS or LOC RWY 28R


PALM BEACH INTL (PBI)

DME required. RADAR required for procedure entry.			MISSED APPROACH: Climb to 500 then climbing right turn to 3000 on PBI VORTAC R-343 to MORGA/PBI 17.8 DME and hold.		

D-ATIS 123.75	PALM BEACH APP CON 128.3 317.4	PALM BEACH TOWER 119.1 257.8	GND CON 121.9 284.6	CLNC DEL 121.6 284.6	CPDLC
-------------------------	--	--	-------------------------------	--------------------------------	-------



ELEV 20	D	TDZE 18
---------	---	---------



500 3000		PBI R-343	MORGA	VGSI and ILS glidepath not coincident (VGSI Angle 3.00°/TCH 70°).	
		RELTY PBI 4.8 RADAR	CUPED PBI 10.8 RADAR	One Minute Holding Pattern	
		PBI 0.4	1500	279°	099° 4000 3000
4.5 NM		6 NM			
CATEGORY	A	B	C	D	
S-ILS 28R	218/40 200 (200-3/4)				
S-LOC 28R	460/55	442 (500-1)	460-1 3/8	442 (500-1 3/8)	
CIRCLING	560-1	540 (600-1)	740-2 720 (800-2)	780-2 1/2 760 (800-2 1/2)	