

RALEIGH ONE DEPARTURE

RALEIGH-DURHAM INTL (RDU)
RALEIGH/DURHAM, NORTH CAROLINA


D-ATIS
123.8
CLNC DEL
120.1
CPDLC
RALEIGH DEP CON
125.3 353.675 (055°-229°)
132.35 256.9 (230°-054°)

TOP ALTITUDE:
AS ASSIGNED BY ATC

NOTE: RADAR required.
NOTE: Propeller aircraft only.

SE-2, 25 DEC 2025 to 22 JAN 2026

SE-2, 25 DEC 2025 to 22 JAN 2026



TAKEOFF MINIMUMS

Rwy 5L/R: Standard.

Rwy 23L: Standard with a minimum climb of 250' per NM to 2300.

Rwy 23R: Standard with a minimum climb of 240' per NM to 2100.

Rwy 14: Standard with a minimum climb of 310' per NM to 1100.

Rwy 32: 300-1.

(CONTINUED ON FOLLOWING PAGE)

NOTE: Chart not to scale.

RALEIGH ONE DEPARTURE
(RDU1.RDU) 25FEB21RALEIGH/DURHAM, NORTH CAROLINA
RALEIGH-DURHAM INTL (RDU)



DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAYS 5L/R: Climb on heading 054° or as assigned by ATC, thence. . . .

TAKEOFF RUNWAY 14: Climb on heading 144° or as assigned by ATC, thence. . . .

TAKEOFF RUNWAYS 23L/R: Climb on heading 234° or as assigned by ATC, thence. . . .

TAKEOFF RUNWAY 32: Climb on heading 324° or as assigned by ATC, thence. . . .

. . . . expect RADAR vectors to intercept filed/assigned transition or enroute fix/navaid/airway. Maintain altitude assigned by ATC, expect clearance to filed altitude/flight level 10 minutes after departure.

FAYETTEVILLE TRANSITION (RDU1.FAY): From over RDU VORTAC on RDU R-215 to EVIGY, then on FAY R-360 to FAY VOR/DME.

GREENSBORO TRANSITION (RDU1.GSO): From over RDU VORTAC on RDU R-295 to JAYRR, then on GSO R-097 to GSO VORTAC.

ROZBO TRANSITION (RDU1.ROZBO): From over RDU VORTAC on RDU R-181 to ROZBO.