



LOC/DME I-EPA 110.15 Chan 38(Y)	APP CRS 276°	Rwy Ldg TDZE Apt Elev	8500 630 645
---	------------------------	-----------------------------	---

ILS or LOC RWY 27L
DETROIT METRO WAYNE COUNTY (DTW)

▽ DME or RADAR required. Simultaneous approach authorized. **RVR 1800 authorized with use of FD or AP or HUD to DA.	MALSR 	MISSED APPROACH: Climb to 1100 then climbing left turn to 4000 on heading 180° and CRL VOR/DME R-041 to CRL VOR/DME and hold, continue climb-in-hold to 4000.
---	-----------	---

D-ATIS 133.675	DETROIT APP CON 124.05 284.0	METRO TOWER 128.75 317.725	GND CON 121.8 (NW) 119.45 (NE) 132.725 (SW) 119.25 (SE)	CLNC DEL 120.65	CPDLC
--------------------------	--	--------------------------------------	---	---------------------------	-------



ELEV 645	D	TDZE 630
* LOC only.		
VGSi and ILS glidepath not coincident (VGSi Angle 3.00/TCH 71).		
HEYYY I-EPA 21.4		
DONYA I-EPA 18.3		
ALWAZ I-EPA 15.1		
JUSTT I-EPA 12		
KNOIT I-EPA 8.8		
NIKNG I-EPA 5.7		
I-EPA 2.8		
I-EPA 1.6		
2000		
3000		
4000		
5000		
6000		
7000		
GS 3.00°		
TCH 56		
1.2 NM 2.9 NM 3.1 NM 3.1 NM 3.1 NM 3.1 NM 3.1 NM 3.1 NM		
CATEGORY	A	B
S-ILS 27L **	830/24	200 (200-1/2)
S-LOC 27L	1080/24	450 (500-1/2)
CIRCLING	1180-1	535 (600-1)
C	1080/45	450 (500-1/2)
D	1180-1/2	535 (600-1/2)
D	1240-2	595 (600-2)

EC-1, 22 JAN 2026 to 19 FEB 2026

EC-1, 22 JAN 2026 to 19 FEB 2026