



LOC/DME I-OXH 110.75 Chan 44 (Y)	APP CRS 231°	Rwy Ldg TDZE 965 Apt Elev 986
--	------------------------	---

ILS or LOC RWY 23L
MC GHEE TYSON (T'YS)

DME or RADAR required.		MISSED APPROACH: Climb to 2000 then climbing right turn to 4000 on heading 240° and VXV VORTAC R-231 to GROSS INT/VXV 29.1 DME and hold.	
ATIS 128.35	KNOXVILLE APP CON 123.9 360.8	KNOXVILLE TOWER 121.2 257.8	GND CON 121.9 348.6



ELEV 986	D	TDZE 965
-----------------	----------	-----------------



2000 4000 hdg 240°		VXV R-231	GROSS △	Disregard all marker beacon indications.	
		RKYTP I-OXH 7.2 RADAR	XEKEF I-OXH 4.1	GOODL I-OXH 15.6	One Minute Holding Pattern
		I-OXH 1.6	I-OXH 2.6	I-OXH 4.1	
		1800	2800	2800	3500
		1 NM	1.5 NM	3.1 NM	8.4 NM
CATEGORY	A	B	C	D	
S-ILS 23L	1165/40 200 (200-3/4)				
S-LOC 23L	1320/55 355 (400-1)				
CIRCLING	1500-1 514 (600-1)	1620-1 634 (700-1)	1660-2 674 (700-2)	1900-3 914 (1000-3)	