

(ORSKY3.ORSKY) 23334

23334

ORSKY THREE DEPARTURE

AL-263 (FAA)

ST PAUL DOWNTOWN HOLMAN FLD (STP)
ST PAUL, MINNESOTA

MINNEAPOLIS DEP CON
121.2 335.65
ATIS
118.35
CLNC DEL
121.675
ST. PAUL TOWER★
119.1 257.8

RADAR required.

TOP ALTITUDE: ASSIGNED BY ATC

NC-1, 22 JAN 2026 to 19 FEB 2026

TAKEOFF MINIMUMS

Rwy 9: Standard with minimum climb of 340' per NM to 1300.

Rwy 13: Standard with minimum climb of 235' per NM to 1500.

Rwy 14: Standard

Rwy 27: 600-2 or standard with minimum climb of 442 per NM to 1500

Rwy 31: NA-Obstacles

Rwy 32: Standard with minimum climb of 340' per NM to 3000.

Digitized by srujanika@gmail.com

斜線を引く

→ $R_{i^2_0}$

(CONTINUED ON FOLLOWING PAGE)

NOTE: Chart not to scale.

ORSKY THREE DEPARTURE (ORSKY3.ORSKY) 08SEP22

ST PAUL, MINNESOTA
ST PAUL DOWNTOWN HOLMAN FLD (STP)



DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAY 9: Climb on heading 091° to 1400 for RADAR vectors to assigned fix on MSP R-208, then on depicted route to ORSKY. Thence

TAKEOFF RUNWAY 13: Climb on heading 128° to 1300 for RADAR vectors to assigned fix on MSP R-208, then on depicted route to ORSKY. Thence

TAKEOFF RUNWAY 14: Climb on heading 146° to 1400 for RADAR vectors to assigned fix on MSP R-208, then on depicted route to ORSKY. Thence

TAKEOFF RUNWAY 27: Climb on heading 271° to 1700 for RADAR vectors to assigned fix on MSP R-208, then on depicted route to ORSKY. Thence

TAKEOFF RUNWAY 32: Climb on heading 326° to 1400 for RADAR vectors to assigned fix on MSP R-208, then on depicted route to ORSKY. Thence

. . . . on transition or assigned route. Expect filed altitude 10 minutes after departure.

ONTIJ TRANSITION (ORSKY3.ONTIJ): From over ORSKY INT on MSP R-208 to ONTIJ INT.