

|                                                     |                        |                             |                                       |
|-----------------------------------------------------|------------------------|-----------------------------|---------------------------------------|
| LOC/DME I-SNA<br><b>111.75</b><br>Chan <b>54(Y)</b> | APP CRS<br><b>196°</b> | Rwy Ldg<br>TDZE<br>Apt Elev | <b>5700</b><br><b>54</b><br><b>56</b> |
|-----------------------------------------------------|------------------------|-----------------------------|---------------------------------------|

**ILS RWY 20R (SA CAT I)**  
**JOHN WAYNE/ORANGE COUNTY (SNA)**

|                                                                                                                                                                         |                                                                                             |                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| <br>Requires specific OPSPEC, MSPEC, or LOA approval.<br>Procedure NA when tower closed. | <br>MALS R | MISSED APPROACH: Climb to 3000 on I-SNA LOC<br>south course (196°) to MINOE INT/I-SNA 10.9 DME. |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|

|                        |                                     |                                                    |                         |                         |
|------------------------|-------------------------------------|----------------------------------------------------|-------------------------|-------------------------|
| D-ATIS<br><b>126.0</b> | SOCAL APP CON<br><b>121.3 263.1</b> | JOHN WAYNE TOWER★<br><b>126.8 (CTAF) 0 343.625</b> | GND CON<br><b>120.8</b> | UNICOM<br><b>122.95</b> |
|------------------------|-------------------------------------|----------------------------------------------------|-------------------------|-------------------------|

