

LOC I-PWB 111.9	APP CRS 279°	Rwy Ldg TDZE Apt Elev 8240 18 20
---------------------------	------------------------	--

ILS or LOC RWY 28R

PALM BEACH INTL (PBI)


DME required. RADAR required for procedure entry.

T


A

MISSED APPROACH: Climb to 500 then climbing right turn to 3000 on PBI VORTAC R-343 to MORGA/PBI 17.8 DME and hold.

D-ATIS 123.75	PALM BEACH APP CON 128.3 317.4	PALM BEACH TOWER 119.1 257.8	GND CON 121.9 284.6
-------------------------	--	--	-------------------------------



ELEV 20	D	TDZE 18
---------	---	---------



500	3000	PBI R-343	MORGA	VGSI and ILS glidepath not coincident (VGSI Angle 3.00°/TCH 70°).	One Minute Holding Pattern
		RELTY PBI 4.8 RADAR	CUPED PBI 10.8 RADAR		
		1500	279°	099°	4000 3000
		1500	279°	279°	GS 3.00° TCH 58
		4.5 NM	6 NM		
CATEGORY	A	B	C	D	
S-ILS 28R	218/40 200 (200-3/4)				
S-LOC 28R	460/55	442 (500-1)	460-1 3/8	442 (500-1 3/8)	
CIRCLING	560-1	540 (600-1)	740-2 720 (800-2)	780-2 1/2 760 (800-2 1/2)	

SE-3, 22 JAN 2026 to 19 FEB 2026

SE-3, 22 JAN 2026 to 19 FEB 2026