

RNAV (RNP) W RWY 3R DETROIT METRO WAYNE COUNTY (DTW)

APP CRS	Rwy Ldg	10001
036°	TDZE	633
	Apt Elev	645


RNP AR APCH.

For uncompensated Baro-VNAV systems, procedure NA below -19°C (-2°F) or above 54°C (130°F). Simultaneous approach authorized.

ALSF-2

MISSED APPROACH: Climb to 1100 then climbing right turn to 4000 direct GAAGE and hold.



D-ATIS	DETROIT APP CON	METRO TOWER	GND CON	CINC DEL	CPDLC
133.675	125.15 284.0	118.4 317.725	121.8 (NW) 119.45 (NE) 132.725 (SW) 119.25 (SE)	120.65	



EC-1, 19 FEB 2026 to 19 MAR 2026

EC-1, 19 FEB 2026 to 19 MAR 2026

ELEV	645	TDZE	633
------	-----	------	-----



GP 3.00°	TCH 54			
	3.1 NM	3.1 NM	4.1 NM	
CATEGORY	A	B	C	D
RNP 0.30 DA	1021/35 388 (400-%)			

AUTHORIZATION REQUIRED

HIRL all runways
REIL Rwy 3L, 9L, 9R and 21R
TDZ/CL Rwy 3R, 4L, 4R and 22R