

APP CRS	Rwy Ldg <b>11494</b>
<b>036°</b>	TDZE <b>640</b>
	Apt Elev <b>645</b>

# RNAV (RNP) X RWY 4R

DETROIT METRO WAYNE COUNTY (DTW)


RNP AR APCH.

▼ For uncompensated Baro-VNAV systems, procedure NA below -19°C (-2°F) or above 54°C (130°F). Simultaneous approach authorized.

ALSF-2



MISSED APPROACH: Climb to 4000 direct LUPAY and hold.

D-ATIS <b>133.675</b>	DETROIT APP CON <b>124.05 284.0</b>	METRO TOWER <b>128.125 317.725</b>	GND CON <b>121.8</b> (NW) <b>119.45</b> (NE) <b>132.725</b> (SW) <b>119.25</b> (SE)	CLNC DEL <b>120.65</b>	CPDLC
--------------------------	--	---------------------------------------	---	---------------------------	-------



EC-1, 19 FEB 2026 to 19 MAR 2026

EC-1, 19 FEB 2026 to 19 MAR 2026



CATEGORY	A	B	C	D
RNP 0.30 DA	1031/35		391 (400- $\frac{1}{2}$ )	

**AUTHORIZATION REQUIRED**

TDZ/CL Rwy 3R, 4L, 4R and 22R  
 REIL Rwy 3L, 9L, 9R and 21R  
 HIRL all runways