

PERU, INDIANA


ILS or LOC RWY 5

LOC I-GUS 109.5	APCH CRS 046°	Rwy Idg 12,501
		TDZE 811
		Arprt Elev 811

[USAF]

GRISSOM ARB (KGUS)

RADAR, TACAN required		ALSIF-1 	MISSED APPROACH: Climb to 3000 on the GUS TACAN R-041 to RICHI and hold. *When ALS inop, increase RVR to 40 and vis to 3/4 mile. **When ALS inop, increase CAT AB RVR to 55 and vis to 1 mile; CAT CDE vis to 1 3/8 miles.	
ATIS 132.55 270.8	APP CON 121.05 351.8 (E) 123.85 291.675 (W)	TOWER ★ 133.7 290.45	GND CON 128.425 275.8	



EMERG SAFE ALT 100 NM 3500		ELEV 811		TDZE 811	
CANDO GUS 1.5		BEUKE GUS 1.5		RICHI GUS R-041 1.5	
3000		3000		3000	
GS 2.50° TCH 50		046°		2500	
Arc		5.7 NM		0.5 NM	
ZOTAT GUS 1.4		AVCOB GUS 7.1		ZOTAT GUS 2.3	
Radar		Radar		Radar	
CATEGORY		A B		C D E	
S-ILS 5 *		1011/24		200 (200-1/2)	
S-LOC 5 **		1280/24 469 (500-1/2)		1280/50 469 (500-1)	
CIRCLING		1340-1 529 (600-1)		1400-1 1/2 589 (600-1/2)	
				1400-2 589 (600-2)	
				1440-2 1/4 629 (700-2/4)	
				HIRL Rwy 5-23	
				FAF to MAP 5.7 NM	
				Knots 60 90 120 150 180	
				Min:Sec 5:42 3:48 2:51 2:17 1:54	

PERU, INDIANA

40°39'N-86°09'W

GRISSOM ARB (KGUS)

Amtd 9 11AUG22

ILS or LOC RWY 5

EC-2, 19 FEB 2026 to 19 MAR 2026

EC-2, 19 FEB 2026 to 19 MAR 2026