

WAAS CH <b>50300</b> <b>W12A</b>	APP CRS <b>122°</b>	Rwy Idg TDZE Apt Elev	<b>6001</b> <b>74</b> <b>79</b>
--	------------------------	-----------------------------	---------------------------------------

# RNAV (GPS) RWY 12


DELAND MUNI-SIDNEY H TAYLOR FLD (DED)

RNP APCH.


**⚠** For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -15°C (5°F) or above 54°C (130°F). Baro-VNAV and VDP NA when using Daytona Beach Intl altimeter setting. Rwy 12 helicopter visibility reduction below 3/4 SM NA. When local altimeter setting not received use Daytona Beach Intl altimeter setting increase all DA/MDA 40 feet, increase LNAV/VNAV visibility 1/4 SM all Cats.

**MISSED APPROACH:** Climb to 2000 direct CUGAK then on track 139° to OAKIE and hold.

AWOS-3 <b>119.575</b>	DAYTONA APP CON <b>125.35 322.3</b>	UNICOM <b>123.075 (CTAF)</b> <b>0</b>
--------------------------	--	--



ELEV 79	TDZE 74
---------	---------



HIRL Rwy 12-30 **0**  
MIRL Rwy 5-23 **0**  
REIL Rwy 12 and 30 **0**

VGSi and RNAV glidepath not coincident (VGSi Angle 3.00/TCH 51).		2000 CUGAK	tr 139°	OAKIE
XEHMO	IDROF	CUGAK		OAKIE
1600	1600	1600		
GP 3.00° TCH 40		*1.5 NM to RWY12		*LNAV only.
6.4 NM	3.1 NM	1.5 NM		
CATEGORY	A	B	C	D
LPV DA		404-1 1/4	330 (400-1 1/4)	
LNAV/VNAV DA		528-1 1/2	454 (500-1 1/2)	
LNAV MDA	600-1	526 (600-1)	600-1 1/2	526 (600-1 1/2)

SE-3, 19 FEB 2026 to 19 MAR 2026

SE-3, 19 FEB 2026 to 19 MAR 2026