

LOC I-SBD <b>109.3</b>	APP CRS <b>057°</b>	Rwy Ldg <b>10000</b>
		TDZE <b>1103</b>
		Apt Elev <b>1159</b>


# ILS or LOC Z RWY 6

SAN BERNARDINO INTL (SBD)

**⚠** Circling NA northwest of Rwy 6-24. When local altimeter setting not received, use Ontario altimeter setting and increase DA to 1426 feet and all visibilities ¼ SM; increase all MDA 80 feet and S-LOC Cats C/D and Circling Cat C visibility ¼ SM.

**MISSED APPROACH:** Climb to 2000 then climbing right turn to 6000 direct PDZ VORTAC and hold, continue climb-in-hold to 6000.  
 \* Missed approach requires minimum climb of 340 feet per NM to 4000; if unable to meet climb gradient, see LOC Y RWY 6.

D-ATIS <b>124.175</b>	SOCAL APP CON <b>127.0 318.2</b>	SAN BERNARDINO TOWER* <b>119.45 (CTAF) 0</b>	GND CON <b>121.8</b>	UNICOM <b>122.975</b>
--------------------------	-------------------------------------	---	-------------------------	--------------------------



Procedure NA for arrival on PDZ VORTAC  
 airway radials 012 CW 030.

ELEV 1159	<b>D</b>	TDZE 1103
-----------	----------	-----------

**HIRL Rwy 6-24** **1**  
**REIL Rws 6 and 24** **1**

FAF to MAP 6.1 NM

Knots	60	90	120	150	180
Min:Sec	6:06	4:04	3:03	2:26	2:02

**ILS/LOC Z RWY 6** diagram showing 057° glide slope, 4000 ft MDA, and 3300 ft DA. Includes symbols for TWR, SUDOC INT, SB NDB, and PDZ.

GS 3.00° TCH 51	SUDOC INT		SB NDB PETIS INT		2000	6000	PDZ
	4000		3118		3300		
	6 NM		6.1 NM				
CATEGORY	A	B	C	D			
S-ILS 6*		1353-¾		250 (200-¾)			
S-LOC 6*	1740-1	637 (600-1)		1740-1¾	637 (600-1¾)		
CIRCLING	1740-1	581 (600-1)		1760-1¾	2640-3		1481 (1500-3)

SW-3, 19 FEB 2026 to 19 MAR 2026

SW-3, 19 FEB 2026 to 19 MAR 2026