


WAAS CH 49220 W02A	APP CRS 016°	Rwy Ldg 7002 TDZE 2 Apt Elev 3
----------------------------------------	------------------------	-----------------------------------------------------------

RNAV (GPS) RWY 2


LOUIS ARMSTRONG NEW ORLEANS INTL (MSY)

RNP APCH - GPS		MISSED APPROACH: Climb to 3000 direct PEPUE and on track 077° to SNAKI and hold.	
▼ Rwy 2 helicopter visibility reduction below RVR 4000 NA. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below 0°C or above 54°C.			
D-ATIS 127.55	NEW ORLEANS APP CON 125.5 350.35 133.15 290.3 (E)	NEW ORLEANS TOWER 119.5 254.3	GND CON 121.9 273.525



VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 52).

ROYUL	POVVI	PEPUE	SNAKI
2000	2000	3000	
GP 3.00°		tr 077°	
TCH 56			
6.6 NM		4.8 NM	
A		B	
LPV DA	398/60		396 (400-1¼)
LNAV/VNAV DA	379/55		377 (400-1)
LNAV MDA	480/55	478 (500-1)	480-1⅜ 478 (500-1⅜)
CIRCLING	520-1 517 (600-1)	540-1 537 (600-1)	580-1½ 577 (600-½) 580-2 577 (600-2)



SC-4, 19 FEB 2026 to 19 MAR 2026

SC-4, 19 FEB 2026 to 19 MAR 2026