


RNAV (RNP) Z RWY 11

LOUIS ARMSTRONG NEW ORLEANS INTL (MSY)


APP CRS 106°	Rwy Ldg TDZE Apt Elev	9800 4 4
------------------------	-----------------------------	-------------------------------------

RNP AR APCH - GPS.	ALSF-2	MISSED APPROACH: Climb to 2000 on track 106° to ZUBEL and on track 195° to SAFES and hold.
▼ For uncompensated Baro-VNAV systems, procedure NA below -1°C or above 54°C. For inop ALS, increase RNP 0.30 all Cats visibility to RVR 5500.		

D-ATIS 127.55	NEW ORLEANS APP CON 125.5 350.35 133.15 290.3 (W) (E)	NEW ORLEANS TOWER 119.5 254.3	GND CON 121.9 273.525
-------------------------	---	---	---------------------------------



VGSI and RNAV glidepath not coincident (VGSI Angle 2.80/TCH 73).	2000	↑	tr 106°	ZUBEL	tr 195°	SAFES
FIGUR	KUSTE					
2000	2000					
GP 3.00°						
TCH 55						
	7.1 NM			6.1 NM		
CATEGORY	A	B	C	D		
RNP 0.30 DA	367/35		363 (400-5/8)			
AUTHORIZATION REQUIRED						



SC-4, 19 FEB 2026 to 19 MAR 2026

SC-4, 19 FEB 2026 to 19 MAR 2026