


WAAS CH 78323 W30A	APP CRS 306°	Rwy Ldg 7959 TDZE 591 Apt Elev 597
--	------------------------	---

RNAV (GPS) Y RWY 30


GARY/CHICAGO INTL (GYY)

RNP APCH - GPS.	MALSR	MISSED APPROACH: Climb to 1100 then climbing left turn to 2400 direct KIKVE and hold.
<p>For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C or above 54°C. For inop ALS, increase LNAV Cat C and D visibility to RVR 6000. ** RVR 1800 authorized with use of FD or AP or HUD to DA (NA when using Chicago Midway Intl altimeter setting).</p>		

D-ATIS 134.575	CHICAGO APP CON 133.1 285.6	GARY TOWER ★ 125.6 (CTAF)	GND CON 121.9
--------------------------	---------------------------------------	-------------------------------------	-------------------------



ELEV 597	D	TDZE 591
----------	----------	----------



REIL Rws 2, 12 and 20																													
HIRL Rwy 12-30																													
MIRL Rwy 2-20																													
<table border="1"> <tr> <td>CATEGORY</td> <td>A</td> <td>B</td> <td>C</td> <td>D</td> </tr> <tr> <td>LPV DA**</td> <td></td> <td>791/24</td> <td>200 (200-1/2)</td> <td></td> </tr> <tr> <td>LNAV/VNAV DA</td> <td></td> <td>991/35</td> <td>400 (400-5/8)</td> <td></td> </tr> <tr> <td>LNAV MDA</td> <td>1000/24</td> <td>409 (500-1/2)</td> <td>1000/40</td> <td>409 (500-3/4)</td> </tr> <tr> <td>CIRCLING</td> <td>1160-1 563 (600-1)</td> <td>1180-1 583 (600-1)</td> <td>1400-2 1/4 803 (900-2 1/4)</td> <td>1420-2 3/4 823 (900-2 3/4)</td> </tr> </table>	CATEGORY	A	B	C	D	LPV DA**		791/24	200 (200-1/2)		LNAV/VNAV DA		991/35	400 (400-5/8)		LNAV MDA	1000/24	409 (500-1/2)	1000/40	409 (500-3/4)	CIRCLING	1160-1 563 (600-1)	1180-1 583 (600-1)	1400-2 1/4 803 (900-2 1/4)	1420-2 3/4 823 (900-2 3/4)				
CATEGORY	A	B	C	D																									
LPV DA**		791/24	200 (200-1/2)																										
LNAV/VNAV DA		991/35	400 (400-5/8)																										
LNAV MDA	1000/24	409 (500-1/2)	1000/40	409 (500-3/4)																									
CIRCLING	1160-1 563 (600-1)	1180-1 583 (600-1)	1400-2 1/4 803 (900-2 1/4)	1420-2 3/4 823 (900-2 3/4)																									

EC-2, 19 FEB 2026 to 19 MAR 2026

EC-2, 19 FEB 2026 to 19 MAR 2026