

(TUL1.TUL) 24137

AL-5427 (FAA)

TULSA RIVERSIDE (RVS)
TULSA, OKLAHOMA

TULSA ONE DEPARTURE

TULSA DEP CON
124.0 338.3
ATIS
126.5
CLNC DEL
124.5
RIVERSIDE TOWER ★
120.3 (CTAF)


RADAR required.

**TOP ALTITUDE:
15000**

FARMINGTON
115.7 FAM :
Chan 104

BARTLESVILLE
117.9 BVO :
Chan 126

SPRINGFIELD
116.9 SGF :
Chan 116




TULSA
114.4 TUL :
Chan 91

RAZORBACK
116.4 RZC :
Chan 111

WILL ROGERS
114.1 IRW :
Chan 88

FORT SMITH
110.4 FSM :
Chan 41



ARDMORE
116.7 ADM :
Chan 114

MAVERICK
113.1 TTT :
Chan 78

TAKEOFF MINIMUMS

Rwys 1L/R, 19L/R: Standard.
Rwy 13: 300-3 or standard with minimum climb of 330' per NM to 1000.
Rwy 31: 400-2¼, or 300-1 with minimum climb of 315' per NM to 1100,
or standard with minimum climb of 610' per NM to 900.

NOTE: Chart not to scale.

SC-1, 19 FEB 2026 to 19 MAR 2026

SC-1, 19 FEB 2026 to 19 MAR 2026



DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAYS 1L/R: Climb on heading 010° to 1500, thence. . .

TAKEOFF RUNWAY 13: Climb on heading 130° to 1500, thence. . .

TAKEOFF RUNWAYS 19L/R: Climb on heading 190° to 1500, thence. . .

TAKEOFF RUNWAY 31: Climb on heading 295° to 1500, thence. . .

. . . continue on assigned heading for RADAR vectors to assigned route, maintain 15000 or assigned lower altitude, expect further clearance to filed altitude 10 minutes after departure.

LOST COMMUNICATIONS: Proceed to and hold east of TUL VORTAC on the 080° radial. Climb to 15000 feet or lower requested altitude, then proceed on course on filed route. Climb to requested altitude when established on course.

TULSA ONE DEPARTURE
(TUL1.TUL) 16MAY24

TULSA, OKLAHOMA
TULSA RIVERSIDE (RVS)