

HOUSTON, TEXAS

AL-5461 (FAA)

25275

LOC/DME I-IAH 109.7 Chan 34	APP CRS 087°	Rwy Ldg 9402 TDZE 95 Apt Elev 96
---	------------------------	---

ILS or LOC RWY 8R

GEORGE BUSH INTCNL/HOUSTON (IAH)

RNAV 1-GPS or RADAR required for procedure entry, DME.


Simultaneous approach authorized. For inop ALS, increase S-LOC 8R Cat C/D/E visibility to 1 $\frac{1}{2}$ SM. For inop ALS, increase S-ILS 8R Cat E visibility to RVR 4000.

MALSR



MISSED APPROACH: Climb to 3000 on heading 087° and on DAS VORTAC R-242 to DAS VORTAC and hold.


D-ATIS 124.05	HOUSTON APP CON 120.05 379.1 E 124.35 316.15 W	HOUSTON TOWER 125.35 290.2	GND CON 118.575
-------------------------	--	--------------------------------------	---------------------------



SC-5, 19 FEB 2026 to 19 MAR 2026



SC-5, 19 FEB 2026 to 19 MAR 2026

ELEV 96	D	TDZE 95
---------	----------	---------



TDZ/CL Rwy 8R, 8L, 15R, 26R, 26L, 27 and 33L

HIRL all Rwy



VGSI and ILS glidepath not coincident (VGSI Angle 3.00/TCH 72).

LASSY I-IAH 26.2	DPLOY I-IAH 21.2	JELLI I-IAH 16.9	REIGN I-IAH 13.2	EELPO I-IAH 9.2	MATON I-IAH 5.6	SAKCO I-IAH 2.3	I-IAH DME ANTENNA
7000	7000	5000	4000	3000	2000	2000	1
GS 3.00°	087°	087°					
TCH 55							
	-5 NM	-4.2 NM	-3.8	-3.9	-3.6	-3.3 NM	-1.3 NM
CATEGORY	A	B	C	D	E		
S-ILS 8R	295/18		200 (200- $\frac{1}{2}$)				
S-LOC 8R	560/24	465 (500- $\frac{1}{2}$)	560/50		465 (500-1)		

3000 hdg 087° DAS R-242

*LOC only.

HOUSTON, TEXAS
Amdt 26A 10OCT19

29°59'N-95°20'W

ILS or LOC RWY 8R