

WAAS CH <b>82707</b> W30B	APP CRS <b>295°</b>	Rwy Ldg TDZE Apt Elev	<b>9000</b> <b>5599</b> <b>5673</b>
---------------------------------	------------------------	-----------------------------	---

# RNAV (GPS) RWY 30R


ROCKY MOUNTAIN METRO (BJC)

**NA** Baro-VNAV and VDP NA when using Denver Intl altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -26°C (-14°F) or above 47°C (116°F). DME/DME RNP-0.3 NA. When local altimeter setting not received, use Denver Intl altimeter setting and increase all DA 82 feet and all MDA 100 feet, increase LNAV/VNAV all Cats, LNAV Cat C/D and Circling Cat C visibility 1/4 mile. For inoperative MALSR, increase LNAV/VNAV all Cats visibility to 1 1/8 mile and LNAV Cat C/D visibility to 1 mile. For inoperative MALSR, when using Denver Intl altimeter setting, increase LPV all Cats visibility to 1 mile, LNAV/VNAV all Cats visibility to 1 1/8 mile and LNAV Cat A/B visibility to 1 mile and Cat C/D visibility to 1 3/8 mile.


**MALSR**

**MISSED APPROACH:** Climb to 6300 then climbing right turn to 10300 direct HYGEN and hold, continue climb-in-hold to 10300.

<b>ATIS</b> <b>126.25</b>	<b>DENVER APP CON</b> <b>125.125 263.025</b>	<b>METRO TOWER*</b> <b>118.6 (CTAF) 233.7</b>	<b>GND CON</b> <b>121.7</b>
------------------------------	---	--	--------------------------------



ELEV 5673	<b>D</b>	TDZE 5599
-----------	----------	-----------



	6300	10300	HYGEN	ALIJE	BAAWL
	↑	↷	△	7000	7000
			VOGFA 1.9 NM to RW30R		
			*1 NM to RW30R	295°	7000
			6220*		GP 3.00° TCH 52
			1 NM 0.9 2.4 NM 4 NM		
CATEGORY	A	B	C	D	
LPV DA		5799-1/2	200 (200-1/2)		
LNAV/VNAV DA		5900-5/8	301 (300-5/8)		
LNAV MDA	5940-1/2	341 (300-1/2)	5940-5/8	341 (300-5/8)	
CIRCLING	6180-1 507 (600-1)	6240-1 567 (600-1)	6360-2 687 (700-2)	6860-3 1187 (1200-3)	