



APP CRS	Rwy Ldg	7414
301°	TDZE	38
	Apt Elev	60

RNAV (RNP) Y RWY 30

LONG BEACH (DAUGHERTY FLD) (LGB)

RNP AR APCH.	MALSR	MISSED APPROACH: Climb to 800 then climbing left turn to 3000 direct PADDR and hold.
<p>▼ For uncompensated Baro-VNAV systems, procedure NA below 4° C or above 54° C.</p> <p>▲</p>		

ATIS 127.75	SOCAL APP CON 125.35 316.125	LONG BEACH TOWER ★ 120.5 257.6 (12) 119.4 (CTAF) 0 257.6 (30)	GND CON 133.0 257.6	UNICOM 122.95
-----------------------	--	---	-------------------------------	-------------------------



ELEV 60	D	TDZE 38		
800	3000	PADDR	VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 64).	
		LUCIG		
		GP 3.00° TCH 58		
CATEGORY	A	B	C	D
RNP 0.30 DA	384/30 346 (400-5%)			
AUTHORIZATION REQUIRED				

SW-3, 16 APR 2026 to 14 MAY 2026

SW-3, 16 APR 2026 to 14 MAY 2026