



APP CRS 278°	Rwy Ldg TDZE Apt Elev	6213 9 9
------------------------	-----------------------------	-------------------------------------

RNAV (RNP) Z RWY 28L


OAKLAND SAN FRANCISCO BAY (OAK)

RNP AR APCH - GPS. Authorization required.		MISSED APPROACH: Climb to 3000 on track 278° to OPLIE and on track 348° to REBAS and hold.
 For uncompensated Baro-VNAV systems, procedure NA below 2°C or above 54°C.		

D-ATIS 133.775	NORCAL APP CON 125.35 263.15	OAKLAND TOWER 118.3 291.65 (10L/R-28L/R, 15-33) 127.2 256.9 (12-30)	GND CON 121.9 (10L/R-28L/R, 15-33) 121.75 (12-30)
--------------------------	--	---	---



ELEV 9	D	TDZE 9
--------	----------	--------



CATEGORY	A	B	C	D
RNP 0.10 DA		306/45	297 (300-¾)	
RNP 0.15 DA		359/55	350 (400-1)	
RNP 0.30 DA		425/60	416 (500-1¼)	

SW-2, 16 APR 2026 to 14 MAY 2026

SW-2, 16 APR 2026 to 14 MAY 2026

AUTHORIZATION REQUIRED