

LOC I-PWB 111.9	APP CRS 279°	Rwy Ldg TDZE Apt Elev	8240 18 20
---------------------------	------------------------	-----------------------------	---------------------------------------

ILS or LOC RWY 28R



PALM BEACH INTL (PBI)

DME required. RADAR required for procedure entry.

▲

MISSED APPROACH: Climb to 500 then climbing right turn to 3000 on PBI VORTAC R-343 to MORGA/PBI 17.8 DME and hold.

D-ATIS 123.75	PALM BEACH APP CON 128.3 317.4	PALM BEACH TOWER 119.1 257.8	GND CON 121.9 284.6
-------------------------	--	--	-------------------------------



500	3000	PBI R-343	MORGA	VGSI and ILS glidepath not coincident (VGSI Angle 3.00/TCH 70).
One Minute Holding Pattern				
RELTY PBI (4.8) RADAR		CUPED PBI (10.8) RADAR		
PBI (0.4)		GS 3.00° TCH 58		
4.5 NM		6 NM		
CATEGORY	A	B	C	D
S-ILS 28R	218/40 200 (200-¾)			
S-LOC 28R	460/55	442 (500-1)	460-1¾	442 (500-1¾)
CIRCLING	560-1	540 (600-1)	740-2 720 (800-2)	780-2½ 760 (800-2½)

SE-3, 16 APR 2026 to 14 MAY 2026

SE-3, 16 APR 2026 to 14 MAY 2026