

LOC/DME I-TLH 110.3 Chan 40	APP CRS 004°	Rwy Ldg 7000 TDZE 62 Apt Elev 83
---	------------------------	---


ILS Z or LOC Z RWY 36

TALLAHASSEE INTL (TLH)



DME required. RADAR required for procedure entry at CVILL.
 * RVR 1800 authorized with use of FD or AP or HUD to DA.
 ASR

MALSR
 MISSED APPROACH: Climb to 4000 direct SZW VORTAC and hold, continue climb-in-hold to 4000.

ATIS 119.45 239.25	TALLAHASSEE APP CON★ 135.8 317.4	TALLAHASSEE TOWER★ 118.7 (CTAF) 0 257.8	GND CON 121.9 348.6	UNICOM 123.075
------------------------------	--	---	-------------------------------	--------------------------



ELEV 83	TDZE 62
TDZ/CL Rwy 27	
REIL Rwy 9 and 18	
HIRL Rwy 9-27 and 18-36	



CATEGORY	A	B	C	D
S-ILS 36 *	262/24		200 (200-½)	
S-LOC 36	460/24	398 (400-½)	460/35	398 (400-¾)
CIRCLING	580-1 497 (500-1)	600-1 517 (600-1)	640-1½ 557 (600-1½)	800-2¼ 717 (800-2¼)

SE-3, 16 APR 2026 to 14 MAY 2026

SE-3, 16 APR 2026 to 14 MAY 2026