

(LINSE2.LINSE) 25051

AL-5596 (FAA)

EASTON/NEWNAM FLD (ESN)

# LINSE TWO DEPARTURE (RNAV)


EASTON, MARYLAND

POTOMAC DEP CON  
 133.75 254.35  
 ATIS  
 124.475  
 CLNC DEL  
 119.075  
 GND CON  
 119.075  
 EASTON TOWER ★  
 118.525

RNAV 1 - DME/DME/IRU or GPS.

RADAR required.

**TOP ALTITUDE:  
16000**



NOTE: Jet aircraft only.

**TAKEOFF MINIMUMS:**

Rwys 4, 15, 33: Standard.  
 Rwy 22: 300-2 or standard with minimum climb  
 of 210'/NM to 400.



NOTE: Chart not to scale.



## DEPARTURE ROUTE DESCRIPTION

Climb on assigned heading for RADAR vectors to cross TERPZ at or above 11000, thence....

....then on track 330° to cross LINSE at or above 14000. Then on assigned transition. Maintain 16000, expect filed altitude 10 minutes after departure.

JERES TRANSITION (LINSE2.JERES)

MCRAY TRANSITION (LINSE2.MCRAY)

# LINSE TWO DEPARTURE (RNAV)

(LINSE2.LINSE) 20FEB25

EASTON, MARYLAND  
EASTON/NEWNAM FLD (ESN)

NE-3, 16 APR 2026 to 14 MAY 2026

NE-3, 16 APR 2026 to 14 MAY 2026